

Final AUFG factors for gas consumed in the gas year commencing 1 October 2010

Gas gate code	Network	AUFG factor
ASH34301	POCO	0.9356
BEL24510	POCO	1.0310
CAM17201	NGCD	1.0288
DAN05001	POCO	0.9889
DRU15101	UNLG	0.9542
DRU15102	NGCD	0.9928
EGC30701	NGCD	0.9791
EGC30702	NGCD	0.8078
ELM12301	POCO	1.0123
FLD03001	POCO	1.0360
FLH21901	GNET	1.0004
FOX22101	POCO	1.0210
GIS07810	NGCD	1.0335
GMM08001	NGCD	1.0126
GTA03610	UNLG	1.0299
GTH11301	NGCD	1.0465
GTK19101	NGCD	0.9790
GTT07701	NGCD	1.0010
GTW06910	POCO	1.0509
GTW33901	NGCD	0.9869
HAR11801	NGCD	1.0049
HRU16101	NGCD	1.0064
HST05210	POCO	1.0173
HTL16601	NGCD	1.0340
HUN15301	UNLG	0.9994
HWA20801	POCO	1.0312
IGW11901	POCO	0.9930
KAP12901	POCO	1.0129
KAW04405	NGCD	1.0270
KIG16801	UNLG	1.0009
KIN02601	NGCD	0.9695
KIW34202	NGCD	1.0053
KKI23701	POCO	1.0105
KPA12401	POCO	1.0363
KRG24101	POCO	0.9373
KUK22401	NGCD	0.9953
LAB20201	GNET	0.8241
LNB24301	POCO	1.0101
LVN24401	POCO	1.0445
MNA23402	POCO	1.0167
MRV16302	NGCD	0.9673
MTG17301	NGCD	0.4207
MTN23801	GNET	1.0053
MTP20601	POCO	1.0000
NGW14501	NGCD	0.9932
NPL12101	POCO	1.0209
OAK18601	NGCD	1.0016
OKA13201	POCO	1.3984
OKS32801	NGCD	0.9894
OKU16701	POCO	1.1026
OPK13001	POCO	1.0256

OPO32001	NGCD	0.6539
ORD24701	POCO	0.9560
OTA22601	NGCD	0.9752
OTO14101	NGCD	1.0180
PAH23101	POCO	1.9423
PAP06603	NGCD	1.0000
PAU20101	NGCD	0.9990
PGH15901	POCO	0.2717
PGU13101	POCO	1.0000
PHT04901	POCO	1.0055
PIR31101	NGCD	0.9971
PLN24201	POCO	1.0626
PTA20901	POCO	0.9918
PTR32601	NGCD	0.9973
PUK04201	UNLG	1.0244
RAM15201	UNLG	1.0398
ROT08101	NGCD	1.0353
RPR30801	NGCD	1.0151
STR10201	POCO	1.0099
TAU07001	NGCD	1.0656
THO22701	NGCD	0.9900
TIR33502	NGCD	0.9850
TKN17001	NGCD	0.9927
TKP05101	POCO	0.9910
TKR19701	NGCD	1.0373
TKS17401	NGCD	1.0031
TPK33301	NGCD	1.0699
TTK30601	NGCD	1.0000
TUK06501	UNLG	1.0064
TWA35610	POCO	1.0435
WAG21501	GNET	1.0212
WAK22801	NGCD	1.0127
WEL18301	NGCD	0.9981
WHG07501	NGCD	1.0178
WHK32101	NGCD	0.9773
WRK18901	NGCD	1.0214
WTA16501	NGCD	1.0078
WTR12001	POCO	1.0646
WTT20301	GNET	1.0015
WVY23601	POCO	0.9918

Final AUFG factors for gas consumed in the gas year commencing 1 October 2009

Gas gate code	Network	AUFG factor	Adjusted AUFG	Adjustment method
ASH34301	POCO	0.9782	0.985	FLOOR
BEL24510	POCO	1.0580	1.035	CAP
CAM17201	NGCD	1.0138		
DAN05001	POCO	0.9953		
DRU15101	UNLG	0.9902		
DRU15102	NGCD	1.0142		
EGC30701	NGCD	0.9938		
EGC30702	NGCD	0.2531	0.985	FLOOR
ELM12301	POCO	0.9968		
FLB15601	NOVA	1.0000		
FLD03001	POCO	1.0600	1.035	CAP
FLH21901	GNET	0.4578	0.985	FLOOR
FOX22101	POCO	1.0194		
GIS07810	NGCD	1.0391	1.035	CAP
GMM08001	NGCD	1.0084		
GTA03610	UNLG	1.0286		
GTH11301	NGCD	1.0249		
GTK19101	NGCD	1.0186		
GTT07701	NGCD	1.0413	1.035	CAP
GTW06910	POCO	1.0616	1.035	CAP
GTW33901	NGCD	1.1169	1.035	CAP
HAR11801	NGCD	1.0006		
HRU16101	NGCD	0.9776	0.985	FLOOR
HST05203	NOVA	1.0000		
HST05210	POCO	1.0389	1.035	CAP
HTL16601	NGCD	1.0223		
HUN15301	UNLG	1.0064		
HUN15302	NOVA	1.0000		
HWA20801	POCO	0.9997		
HWA20802	NOVA	1.0000		
IGW11901	POCO	0.9777	0.985	FLOOR
KAP12901	POCO	1.0082		
KAW04405	NGCD	0.9769	0.985	FLOOR
KIG16801	UNLG	1.0114		
KIN02601	NGCD	0.9651	0.985	FLOOR
KIW34202	NGCD	2.7010	1.035	CAP
KKI23701	POCO	1.0666	1.035	CAP
KPA12401	POCO	0.9551	0.985	FLOOR
KRG24101	POCO	0.8675	0.985	FLOOR
KUK22401	NGCD	1.0000		
LAB20201	GNET	0.8394	0.985	FLOOR
LNB24301	POCO	1.0237		
LVN24401	POCO	1.0537	1.035	CAP
MNA23402	POCO	1.0101		
MRV16302	NGCD	0.9149	0.985	FLOOR
MTG17301	NGCD	0.4274	0.985	FLOOR
MTN23801	GNET	1.0107		
MTP20601	POCO	1.0000		
NGW14501	NGCD	0.9975		
NPL12101	POCO	1.0191		
OAK18601	NGCD	1.0000		

OKA13201	POCO	1.1256	1.035 CAP
OKS32801	NGCD	1.0000	
OKU16701	POCO	1.1217	1.035 CAP
OPK13001	POCO	1.0023	
OPO32001	NGCD	0.6949	0.985 FLOOR
ORD24701	POCO	1.1583	1.035 CAP
OTA22601	NGCD	0.8800	0.985 FLOOR
OTO14101	NGCD	1.0733	1.035 CAP
PAE23001	NGCD	1.0000	
PAH23101	POCO	1.0177	
PAP06603	NGCD	1.0000	
PAU20101	NGCD	0.9663	0.985 FLOOR
PGH15901	POCO	0.0479	0.985 FLOOR
PGU13101	POCO	1.0000	
PHT04901	POCO	1.0065	
PIR31101	NGCD	1.1316	1.035 CAP
PLN24201	POCO	1.0638	1.035 CAP
PTA20901	POCO	1.0235	
PTR32601	NGCD	1.0149	
PUK04201	UNLG	1.0960	1.035 CAP
RAM15201	UNLG	1.0213	
ROT08101	NGCD	1.0041	
RPR30801	NGCD	1.0180	
STR10201	POCO	1.0126	
TAU07001	NGCD	1.0583	1.035 CAP
THO22701	NGCD	1.0000	
TIR33502	NGCD	1.1618	1.035 CAP
TKN17001	NGCD	1.0145	
TKP05101	POCO	0.9783	0.985 FLOOR
TKR19701	NGCD	1.0159	
TKS17401	NGCD	0.9820	0.985 FLOOR
TPK33301	NGCD	1.0295	
TTK30601	NGCD	0.9364	0.985 FLOOR
TUK06501	UNLG	0.9955	
TWA35610	POCO	1.0744	1.035 CAP
TWB24810	NOVA	1.0541	1.035 CAP
WAG21501	GNET	1.0363	1.035 CAP
WAK22801	NGCD	1.0328	
WEL18301	NGCD	1.0000	
WHG07501	NGCD	1.0281	
WHK32101	NGCD	0.9716	0.985 FLOOR
WRK18901	NGCD	1.0166	
WTA16501	NGCD	1.0012	
WTR12001	POCO	1.0632	1.035 CAP
WTT20301	GNET	1.0018	
WVY23601	POCO	1.0000	

Final AUFG factors for gas consumed in the gas year commencing 1 October 2008

Gas gate code	Gas type	Calculation method	AUFG factor	Adjusted AUFG factor	Adjustment method	Notes
ASH34301	GN	NORMAL	1.0017			
BEL24510	GN	NORMAL	1.0424	1.035	CAP	
CAM17201	GN	NORMAL	1.0151			
DAN05001	GN	NORMAL	1.0031			
DRU15101	GN	NORMAL	0.9731	0.985	FLOOR	
DRU15102	GN	NORMAL	1.0123			
EGC30701	GN	NORMAL	0.9946			
EGC30702	GN	NORMAL	0.4131	0.985	FLOOR	
ELM12301	GN	NORMAL	1.0022			
FLB15601	GN	AVG	1.0289			1
FLD03001	GN	NORMAL	1.0362	1.035	CAP	
FLH21901	GN	NORMAL	0.3847	0.985	FLOOR	
FOX22101	GN	NORMAL	1.0045			
GIS07810	GN	NORMAL	1.0362	1.035	CAP	
GMM08001	ND	NORMAL	1.0020			
GTA03610	ND	NORMAL	1.0278			
GTH11301	ND	NORMAL	1.0420	1.035	CAP	
GTK19101	ND	NORMAL	1.0472	1.035	CAP	
GTT07701	ND	NORMAL	1.0555	1.035	CAP	
GTW06910	ND	NORMAL	1.0416	1.035	CAP	
GTW33901	ND	NORMAL	1.0557	1.035	CAP	
HAR11801	GN	NORMAL	0.9955			
HRU16101	GN	NORMAL	0.9867			
HST05203	GN	AVG	1.0289			1
HST05210	GN	NORMAL	1.0266			
HTL16601	GN	NORMAL	1.0143			
HUN15301	GN	NORMAL	1.0086			
HUN15302	GN	AVG	1.0289			1
HWA20801	GN	NORMAL	0.9980			
HWA20802	GN	AVG	1.0289			1
IGW11901	GN	NORMAL	0.9842	0.985	FLOOR	
KAP12901	GN	NORMAL	1.0022			
KAW04405	GN	NORMAL	1.0136			
KIG16801	GN	NORMAL	1.0585	1.035	CAP	
KIN02601	GN	NORMAL	0.9668	0.985	FLOOR	
KIW34202	GN	AVG	1.0289			1
KKI23701	GN	AVG	1.0289			1
KPA12401	GN	NORMAL	0.3906	0.985	FLOOR	
KRG24101	GN	NORMAL	0.9011	0.985	FLOOR	
KUK22401	GN	NORMAL	1.0000			2
LAB20201	GN	NORMAL	0.9583	0.985	FLOOR	
LNB24301	GN	NORMAL	1.0465	1.035	CAP	
LVN24401	GN	NORMAL	1.0612	1.035	CAP	
MNA23402	GN	NORMAL	1.0679	1.035	CAP	
MRV16302	GN	NORMAL	0.9819	0.985	FLOOR	
MTG17301	GN	NORMAL	0.4818	0.985	FLOOR	
MTN23801	GN	NORMAL	1.0213			

MTP20601	GN	NORMAL	1.0000		2
NGW14501	GN	NORMAL	0.8162	0.985 FLOOR	
NPL12101	GN	NORMAL	1.0143		
OAK18601	GN	NORMAL	1.0000		2
OKA13201	GN	NORMAL	1.1299	1.035 CAP	
OKS32801	GN	NORMAL	1.0000		2
OKU16701	GN	NORMAL	1.0372	1.035 CAP	
OPK13001	GN	NORMAL	0.9838	0.985 FLOOR	
OPO32001	GN	NORMAL	0.7791	0.985 FLOOR	
ORD24701	GN	NORMAL	0.9655	0.985 FLOOR	
OTA22601	GN	NORMAL	1.0541	1.035 CAP	
OTO14101	GN	NORMAL	1.0965	1.035 CAP	
PAE23001	GN	NORMAL	1.1882	1.035 CAP	
PAH23101	GN	AVG	1.0289		1
PAP06603	GN	NORMAL	1.0000		2
PAU20101	GN	NORMAL	1.1124	1.035 CAP	
PGH15901	GN	NORMAL	0.0122	0.985 FLOOR	
PGU13101	GN	NORMAL	1.0000		2
PHT04901	GN	NORMAL	0.9933		
PIR31101	GN	NORMAL	0.7936	0.985 FLOOR	
PLN24201	GN	NORMAL	1.0212		
PTA20901	GN	NORMAL	1.0170		
PTR32601	GN	NORMAL	0.9971		
PUK04201	GN	NORMAL	1.0068		
RAM15201	GN	NORMAL	1.0815	1.035 CAP	
ROT08101	GN	NORMAL	1.0626	1.035 CAP	
RPR30801	GN	NORMAL	1.0167		
STR10201	GN	NORMAL	0.9877		
TAU07001	GN	NORMAL	1.0544	1.035 CAP	
THO22701	GN	NORMAL	1.0000		2
TIR33502	GN	NORMAL	0.9219	0.985 FLOOR	
TKN17001	GN	NORMAL	1.0343		
TKP05101	GD	NORMAL	0.9643	0.985 FLOOR	3
TKR19701	GN	NORMAL	1.0126		
TKS17401	GN	NORMAL	0.9917		
TPK33301	GN	NORMAL	1.0434	1.035 CAP	
TTK30601	GN	NORMAL	1.0038		
TUK06501	GN	NORMAL	0.9915		
TWA35610	GN	NORMAL	1.0765	1.035 CAP	
TWB24810	GN	AVG	1.0289		1
WAG21501	GN	NORMAL	1.0482	1.035 CAP	
WAK22801	GN	NORMAL	1.0569	1.035 CAP	
WEL18301	GN	NORMAL	1.0000		2
WHG07501	GN	NORMAL	1.0638	1.035 CAP	
WHK32101	GN	NORMAL	0.9796	0.985 FLOOR	
WRK18901	GN	NORMAL	1.0153		
WTA16501	GN	NORMAL	1.0052		
WTR12001	GN	NORMAL	1.1030	1.035 CAP	
WTT20301	GN	NORMAL	0.9943		
WVY23601	GN	NORMAL	1.0000		2

Notes

1. Substantially incomplete consumption data - national
AUG (AVG) applied: rule 79.2.3

2. Unmetered

3. Estimation applied to 2 months of incomplete consumption data (based on injection quantities): rule 78.3

Re-calculated AUFG factors for the 2009-2010 gas year

Gas gate code	Gas type	Calculation method	AUFG factor	Adjusted AUFG factor	Adjustment method	Notes
ASH34301	GN	NORMAL	0.9439	0.985	FLOOR	
BEL24510	GN	NORMAL	1.0379	1.035	CAP	
CAM17201	GN	NORMAL	1.0100			
DAN05001	GN	NORMAL	0.9875			
DRU15101	GN	NORMAL	0.9715	0.985	FLOOR	
DRU15102	GN	NORMAL	1.0105			
EGC30701	GN	NORMAL	0.9938			
EGC30702	GN	NORMAL	0.2531	0.985	FLOOR	
ELM12301	GN	NORMAL	0.9964			
FLD03001	GN	NORMAL	1.0425	1.035	CAP	
FLH21901	GN	NORMAL	0.4578	0.985	FLOOR	
FOX22101	GN	NORMAL	1.0197			
GIS07810	GN	NORMAL	1.0243			
GMM08001	ND	NORMAL	1.0120			
GTA03610	ND	NORMAL	1.0197			
GTH11301	ND	NORMAL	1.0054			
GTK19101	ND	NORMAL	0.9874			
GTT07701	ND	NORMAL	1.0345			
GTW06910	ND	NORMAL	1.0343			
GTW33901	ND	NORMAL	1.1104	1.035	CAP	
HAR11801	GN	NORMAL	1.0006			
HRU16101	GN	NORMAL	0.9726	0.985	FLOOR	
HST05210	GN	NORMAL	1.0262			
HTL16601	GN	NORMAL	1.0157			
HUN15301	GN	NORMAL	1.0064			
HWA20801	GN	NORMAL	0.9964			
IGW11901	GN	NORMAL	0.9498	0.985	FLOOR	
KAP12901	GN	NORMAL	1.0082			
KAW04405	GN	NORMAL	0.9657	0.985	FLOOR	
KIG16801	GN	NORMAL	0.9219	0.985	FLOOR	
KIN02601	GN	NORMAL	0.9651	0.985	FLOOR	
KIW34202	GN	NORMAL	2.7010	1.035	CAP	
KKI23701	GN	NORMAL	1.0666	1.035	CAP	
KPA12401	GN	NORMAL	0.9551	0.985	FLOOR	
KRG24101	GN	NORMAL	0.9706	0.985	FLOOR	
KUK22401	GN	NORMAL	1.0000			Unmetered
LAB20201	GN	NORMAL	0.8409	0.985	FLOOR	
LNB24301	GN	NORMAL	1.0216			
LVN24401	GN	NORMAL	1.0361	1.035	CAP	
MNA23402	GN	NORMAL	1.0089			
MRV16302	GN	NORMAL	0.9133	0.985	FLOOR	
MTG17301	GN	NORMAL	0.4238	0.985	FLOOR	
MTN23801	GN	NORMAL	1.0094			
MTP20601	GN	NORMAL	1.0000			Unmetered
NGW14501	GN	NORMAL	0.9967			
NPL12101	GN	NORMAL	0.9986			
OAK18601	GN	NORMAL	1.0000			Unmetered

OKA13201	GN	NORMAL	1.0718	1.035 CAP	
OKS32801	GN	NORMAL	1.0000		Unmetered
OKU16701	GN	NORMAL	1.1217	1.035 CAP	
OPK13001	GN	NORMAL	1.0023		
OPO32001	GN	NORMAL	0.6336	0.985 FLOOR	
ORD24701	GN	NORMAL	0.9682	0.985 FLOOR	
OTA22601	GN	NORMAL	0.8685	0.985 FLOOR	
OTO14101	GN	NORMAL	0.9860		
PAE23001	GN	NORMAL	1.0182		
PAH23101	GN	NORMAL	1.0177		
PAP06603	GN	NORMAL	1.0000		Unmetered
PAU20101	GN	NORMAL	0.9471	0.985 FLOOR	
PGH15901	GN	NORMAL	0.0479	0.985 FLOOR	
PGU13101	GN	NORMAL	1.0000		Unmetered
PHT04901	GN	NORMAL	1.0053		
PIR31101	GN	NORMAL	1.1497	1.035 CAP	
PLN24201	GN	NORMAL	1.0406	1.035 CAP	
PTA20901	GN	NORMAL	1.0233		
PTR32601	GN	NORMAL	1.0163		
PUK04201	GN	NORMAL	1.0816	1.035 CAP	
RAM15201	GN	NORMAL	1.0213		
ROT08101	GN	NORMAL	0.9909		
RPR30801	GN	NORMAL	1.0180		
STR10201	GN	NORMAL	0.9964		
TAU07001	GN	NORMAL	1.0341		
THO22701	GN	NORMAL	1.0000		Unmetered
TIR33502	GN	NORMAL	1.1346	1.035 CAP	
TKN17001	GN	NORMAL	0.9985		
TKP05101	GD	NORMAL	0.9783	0.985 FLOOR	
TKR19701	GN	NORMAL	0.9967		
TKS17401	GN	NORMAL	0.9820	0.985 FLOOR	
TPK33301	GN	NORMAL	0.9980		
TTK30601	GN	NORMAL	0.9364	0.985 FLOOR	
TUK06501	GN	NORMAL	0.9955		
TWA35610	GN	NORMAL	1.0418	1.035 CAP	
WAG21501	GN	NORMAL	1.0309		
WAK22801	GN	NORMAL	0.9975		
WEL18301	GN	NORMAL	1.0000		Unmetered
WHG07501	GN	NORMAL	0.9853		
WHK32101	GN	NORMAL	0.9701	0.985 FLOOR	
WRK18901	GN	NORMAL	1.0148		
WTA16501	GN	NORMAL	1.0012		
WTR12001	GN	NORMAL	1.0520	1.035 CAP	
WTT20301	GN	NORMAL	1.0018		
WVY23601	GN	NORMAL	1.0000		Unmetered

Re-calculated AUFG factors for the 2008-2009 gas year

Gas gate code	Gas type	Calculation method	AUFG factor	Adjusted		Notes
				AUFG factor	Adjustment method	
ASH34301	GN	NORMAL	0.9704	0.985	FLOOR	
BEL24510	GN	NORMAL	1.0299			
CAM17201	GN	NORMAL	1.0110			
DAN05001	GN	NORMAL	1.0022			
DRU15101	GN	NORMAL	0.9447	0.985	FLOOR	
DRU15102	GN	NORMAL	1.0123			
EGC30701	GN	NORMAL	0.9946			
EGC30702	GN	NORMAL	0.4131	0.985	FLOOR	
ELM12301	GN	NORMAL	1.0020			
FLD03001	GN	NORMAL	1.0268			
FLH21901	GN	NORMAL	0.3847	0.985	FLOOR	
FOX22101	GN	NORMAL	1.0056			
GIS07810	GN	NORMAL	1.0230			
GMM08001	ND	NORMAL	1.0020			
GTA03610	ND	NORMAL	1.0223			
GTH11301	ND	NORMAL	1.0328			
GTK19101	ND	NORMAL	1.0206			
GTT07701	ND	NORMAL	1.0189			
GTW06910	ND	NORMAL	1.0308			
GTW33901	ND	NORMAL	1.0452	1.035	CAP	
HAR11801	GN	NORMAL	0.9955			
HRU16101	GN	NORMAL	0.9867			
HST05210	GN	NORMAL	1.0183			
HTL16601	GN	NORMAL	1.0101			
HUN15301	GN	NORMAL	1.0086			
HWA20801	GN	NORMAL	0.9938			
IGW11901	GN	NORMAL	0.9772	0.985	FLOOR	
KAP12901	GN	NORMAL	1.0022			
KAW04405	GN	NORMAL	1.0058			
KIG16801	GN	NORMAL	0.9580	0.985	FLOOR	
KIN02601	GN	NORMAL	0.9668	0.985	FLOOR	
KIW34202	GN	AVG	1.0205			1
KKI23701	GN	AVG	1.0205			1
KPA12401	GN	NORMAL	0.3906	0.985	FLOOR	
KRG24101	GN	NORMAL	0.9011	0.985	FLOOR	
KUK22401	GN	NORMAL	1.0000			2
LAB20201	GN	NORMAL	0.9554	0.985	FLOOR	
LNB24301	GN	NORMAL	1.0464	1.035	CAP	
LVN24401	GN	NORMAL	1.0399	1.035	CAP	
MNA23402	GN	NORMAL	1.0666	1.035	CAP	
MRV16302	GN	NORMAL	0.9696	0.985	FLOOR	
MTG17301	GN	NORMAL	0.4807	0.985	FLOOR	
MTN23801	GN	NORMAL	1.0188			
MTP20601	GN	NORMAL	1.0000			2
NGW14501	GN	NORMAL	0.8553	0.985	FLOOR	
NPL12101	GN	NORMAL	1.0062			
OAK18601	GN	NORMAL	1.0000			2
OKA13201	GN	NORMAL	1.1176	1.035	CAP	

OKS32801	GN	NORMAL	1.0000		2
OKU16701	GN	NORMAL	1.0372	1.035 CAP	
OPK13001	GN	NORMAL	0.9838	0.985 FLOOR	
OPO32001	GN	NORMAL	0.7154	0.985 FLOOR	
ORD24701	GN	NORMAL	0.9655	0.985 FLOOR	
OTA22601	GN	NORMAL	1.0468	1.035 CAP	
OTO14101	GN	NORMAL	1.0367	1.035 CAP	
PAE23001	GN	NORMAL	1.0534	1.035 CAP	
PAH23101	GN	AVG	1.0205		1
PAP06603	GN	NORMAL	1.0000		2
PAU20101	GN	NORMAL	1.0920	1.035 CAP	
PGH15901	GN	NORMAL	0.0122	0.985 FLOOR	
PGU13101	GN	NORMAL	1.0000		2
PHT04901	GN	NORMAL	0.9930		
PIR31101	GN	NORMAL	0.7936	0.985 FLOOR	
PLN24201	GN	NORMAL	1.0086		
PTA20901	GN	NORMAL	1.0168		
PTR32601	GN	NORMAL	0.9954		
PUK04201	GN	NORMAL	0.9928		
RAM15201	GN	NORMAL	1.0815	1.035 CAP	
ROT08101	GN	NORMAL	1.0438	1.035 CAP	
RPR30801	GN	NORMAL	1.0167		
STR10201	GN	NORMAL	0.9789	0.985 FLOOR	
TAU07001	GN	NORMAL	1.0228		
THO22701	GN	NORMAL	1.0000		2
TIR33502	GN	NORMAL	0.9053	0.985 FLOOR	
TKN17001	GN	NORMAL	1.0178		
TKP05101	GD	NORMAL	0.9643	0.985 FLOOR	
TKR19701	GN	NORMAL	0.9886		
TKS17401	GN	NORMAL	0.9917		
TPK33301	GN	NORMAL	1.0017		
TTK30601	GN	NORMAL	1.0038		
TUK06501	GN	NORMAL	0.9915		
TWA35610	GN	NORMAL	1.0531	1.035 CAP	
WAG21501	GN	NORMAL	1.0462	1.035 CAP	
WAK22801	GN	NORMAL	1.0326		
WEL18301	GN	NORMAL	1.0000		2
WHG07501	GN	NORMAL	1.0465	1.035 CAP	
WHK32101	GN	NORMAL	0.9737	0.985 FLOOR	
WRK18901	GN	NORMAL	1.0131		
WTA16501	GN	NORMAL	1.0053		
WTR12001	GN	NORMAL	1.0877	1.035 CAP	
WTT20301	GN	NORMAL	0.9943		
WVY23601	GN	NORMAL	1.0000		2

Notes

1. Substantially incomplete consumption data - national AUFG (AVG) applied: rule 79.2.3

2. Unmetered

3. Estimation applied to 2 months of incomplete consumption data (based on injection quantities):